Version 1.1	Revision Date: 02/10/2015		DS Number: 92-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015	
SECTION	1. IDENTIFICATION				
Produ	uct name	:	Boardwalk® Antibacterial Lotion Soap		
Produ	uct code	:	BWK-430; BWK-8200		
Manufacturer or supplier's Company name of supplier Address		:	LAGASSE, Inc. One Parkway North Boulevard		
Telep	Telephone		Deerfield, Illinois 60015 800-989-7487		
Emer	Emergency telephone		800-989-7487		
Reco	mmended use of the o	chem	ical and restriction	ons on use	
Reco	Recommended use		Antibacterial Soa		
Restr	ictions on use		consumers and o foreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and of intended-use guid	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	: Prevention:
	1 / 14

Version	Revision Date:	MSDS Number:	Date of last issue: 01/12/2015
1.1	02/10/2015	46592-00002	Date of first issue: 01/12/2015
		P280 Wear eye Response: P305 + P351 + I for several minu to do. Continue	n thoroughly after handling. protection/ face protection. P338 IF IN EYES: Rinse cautiously with water ttes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanolamine	141-43-5	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek mediadvice. 	
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	 In case of contact, immediately flush eyes with plenty of v for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. 	vater
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay attention to self-protectio and use the recommended personal protective equipmen when the potential for exposure exists.	
Notes to physician	: Treat symptomatically and supportively.	

Version	Revision Date:	MSDS Number:	Date of last issue: 01/12/2015
1.1	02/10/2015	46592-00002	Date of first issue: 01/12/2015
-			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

Version 1.1	Revision Date: 02/10/2015		of last issue: 01/12/2015 of first issue: 01/12/2015	
		determine which regulat Sections 13 and 15 of th certain local or national	nis SDS provide information regarding	
SECTIO	N 7. HANDLING AND S	RAGE		
Tec	hnical measures	: See Engineering measu CONTROLS/PERSONA	ures under EXPOSURE	
Local/Total ventilation		Use only with adequate ventilation.		
Advice on safe handling		practice.		
Cor	ditions for safe storage	: Keep in properly labeled Store in accordance with	d containers. h the particular national regulations.	
Mat	erials to avoid	: Do not store with the fol Strong oxidizing agents		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1

Hazardous components without workplace control parameters

Ingredients	CAS-No.
4-chloro-3,5-dimethylphenol	88-04-0

Engineering measures	: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at
	workplaces have to be considered in workplace risk

Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
		Particulates dust, 5 mg/n Particles (ins	Relevant limits include: OSHA PEL for Not Otherwise Regulated of 15 mg/m3 - total n3 - respirable fraction; and ACGIH TWA for soluble or poorly soluble) Not Otherwise 3 mg/m3 - respirable particles, 10 mg/m3 - rticles.
Pers	onal protective equip	ment	
	iratory protection	: General and maintain vap concentratio unknown, ap Follow OSH/ use NIOSH/ by air purifyi hazardous c supplied res release, exp	local exhaust ventilation is recommended to bor exposures below recommended limits. Where ns are above recommended limits or are propriate respiratory protection should be worn. A respirator regulations (29 CFR 1910.134) and MSHA approved respirators. Protection provided ng respirators against exposure to any hemical is limited. Use a positive pressure air pirator if there is any potential for uncontrolled osure levels are unknown, or any other e where air purifying respirators may not provide ptection.
	protection		
Ma	aterial	: Impervious g	gloves
Re	emarks	on the conce time is not d For special a resistance to gloves with t	tes to protect hands against chemicals depending entration specific to place of work. Breakthrough etermined for the product. Change gloves often! applications, we recommend clarifying the o chemicals of the aforementioned protective he glove manufacturer. Wash hands before at the end of workday.
Eye p	protection	: Wear the fol Safety goggl	lowing personal protective equipment: es
Skin	and body protection	resistance d potential. Skin contact	priate protective clothing based on chemical ata and an assessment of the local exposure must be avoided by using impervious protective ves, aprons, boots, etc).
Hygie	ene measures	located close When using	eye flushing systems and safety showers are e to the working place. do not eat, drink or smoke. minated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, colorless, yellow

Vers 1.1	sion	Revision Date: 02/10/2015		DS Number: 92-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
	Odor		:	floral	
	Odor T	hreshold	:	No data available	•
	рН		:	7 - 10	
	Melting	point/freezing point	:	No data available)
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	> 100 °C	
	Evapor	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available	9
	Lower e	explosion limit	:	No data available	
	Vapor p	pressure	:	No data available	
	Relative	e vapor density	:	No data available	
	Density	,	:	1.00 g/cm3	
	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	nition temperature	:	No data available)
	Decom	position temperature	:	The substance of	mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	1 - 20 mm2/s (20	°C)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents	5.

Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
Cond	itions to avoid	: None known.	
Incom	npatible materials	: Oxidizing agent	3
Hazar produ	rdous decomposition	: No hazardous d	ecomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact						
Acute toxicity						
Not classified based on availa	Not classified based on available information.					
Product:						
Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method				
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method				
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method				
Ingredients:						
Ethanolamine:						
Acute oral toxicity	:	LD50 (Rat): 1,515 mg/kg				
Acute inhalation toxicity	:	Acute toxicity estimate: 11 mg/l Test atmosphere: vapor Method: Expert judgment Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI				
Acute dermal toxicity	:	LD50 (Rabbit): 1,025 mg/kg				
4-chloro-3,5-dimethylphenol Acute oral toxicity	l: :	Acute toxicity estimate: 500 mg/kg Method: Expert judgment Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI				
Acute inhalation toxicity	:	LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist				
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg				

Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
Ski	n corrosion/irritation		
-	classified based on avail	lable information.	
Pro	duct:		
	sult: No skin irritation		
	redients:		
	a nolamine: ecies: Rabbit		
	sult: Corrosive after 3 min	utes to 1 hour of expo	osure
1-0	hloro-2 5-dimothylphon	ol:	
	hloro-3,5-dimethylphen sult: Skin irritation	01.	
Rer	marks: Based on harmon	ised classification in E	U regulation 1272/2008, Annex VI
-			
	ious eye damage/eye ir		
	uses serious eye irritation		
	redients:		
	a nolamine: ecies: Rabbit		
	sult: Irreversible effects or	n the eye	
4- c	hloro-3,5-dimethylphen	ol·	
	sult: Irreversible effects or		
		-	
Res	spiratory or skin sensiti	zation	
	n sensitization: Not classi spiratory sensitization: No		
Pro	oduct:		
Ass	sessment: Does not cause	e skin sensitization.	
	redients:		
	anolamine:		
	st Type: Maximization Tes utes of exposure: Skin co		
Spe	ecies: Guinea pig		
Res	sult: negative		
	hloro-3,5-dimethylphen		
	essment: Probability or e		
Rer	marks: Based on harmon	ISED CLASSIFICATION IN E	U regulation 1272/2008, Annex VI
Gei	rm cell mutagenicity		
	classified based on avail	able information.	
	redients:		
	anolamine:		
	notoxicity in vitro		tro mammalian cell gene mutation test Test Guideline 476

Boardwalk® Antibacterial Lotion Soap

sion	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
Geno	toxicity in vivo	cytogenetic as Species: Mou Application Ro	se bute: Ingestion D Test Guideline 474
	oro-3,5-dimethylpheno toxicity in vitro		ncterial reverse mutation assay (AMES) ve
Carci	nogenicity		
Not cl IARC	lassified based on availa ;	No ingredient of	this product present at levels greater than or identified as probable, possible or confirmed en by IARC.
OSH	Α		this product present at levels greater than or identified as a carcinogen or potential carcino-
NTP			this product present at levels greater than or identified as a known or anticipated carcinoger
-	oductive toxicity lassified based on availa	ble information.	
	assilled based off availa		
	dients:		
Ethar		Species: Rat	vo-generation reproduction toxicity study oute: Ingestion ve
Ethar Effect	<u>dients:</u> nolamine:	Species: Rat Application Ro Result: negati : Test Type: En Species: Rat Application Ro	oute: Ingestion ve nbryo-fetal development oute: Ingestion D Test Guideline 414
Ethar Effect Effect	dients: nolamine: ts on fertility ts on fetal development	Species: Rat Application Ro Result: negati : Test Type: En Species: Rat Application Ro Method: OEC Result: negati	oute: Ingestion ve nbryo-fetal development oute: Ingestion D Test Guideline 414
Ethar Effect Effect STOT Not cl	dients: nolamine: ts on fertility ts on fetal development	Species: Rat Application Ro Result: negati : Test Type: En Species: Rat Application Ro Method: OEC Result: negati	oute: Ingestion ve nbryo-fetal development oute: Ingestion D Test Guideline 414

Assessment: May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Ingredients:

Revision Date:

Version

Boardwalk® Antibacterial Lotion Soap

MSDS Number:

Date of last issue: 01/12/2015

02/10/2015	46592-00002	Date of first issue: 01/12/2015
Ethanolamine: Routes of exposure: inhala Assessment: No significant or less.		ed in animals at concentrations of 0.2 mg/l/6h/c
Repeated dose toxicity		
Ingredients: Ethanolamine: Species: Rat NOAEL: 150 mg/m3 Application Route: inhalatio Exposure time: 28 d	on (dust/mist/fume)	
4-chloro-3,5-dimethylphe Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin cor Exposure time: 90 d		
Aspiration toxicity Not classified based on ava	ailable information.	
CTION 12. ECOLOGICAL IN	NFORMATION	
CTION 12. ECOLOGICAL IN	NFORMATION	
Ecotoxicity Ingredients:	NFORMATION	
Ecotoxicity		s carpio (Carp)): 349 mg/l : 96 h
Ecotoxicity <u>Ingredients:</u> Ethanolamine:	: LC50 (Cyprinu Exposure time	: 96 h a magna (Water flea)): 65 mg/l
Ecotoxicity Ingredients: Ethanolamine: Toxicity to fish Toxicity to daphnia and oth	: LC50 (Cyprinu Exposure time er : EC50 (Daphni Exposure time	: 96 h a magna (Water flea)): 65 mg/l : 48 h astrum capricornutum (green algae)): 2.8 mg/l
Ecotoxicity Ingredients: Ethanolamine: Toxicity to fish Toxicity to daphnia and oth aquatic invertebrates	: LC50 (Cyprinu Exposure time er : EC50 (Daphni Exposure time : ErC50 (Selena Exposure time	: 96 h a magna (Water flea)): 65 mg/l : 48 h astrum capricornutum (green algae)): 2.8 mg/l : 72 h desmus capricornutum (fresh water algae)): 1
Ecotoxicity Ingredients: Ethanolamine: Toxicity to fish Toxicity to daphnia and oth aquatic invertebrates	 : LC50 (Cyprinu Exposure time : EC50 (Daphni Exposure time : ErC50 (Selena Exposure time NOEC (Scene mg/l Exposure time 	: 96 h a magna (Water flea)): 65 mg/l : 48 h astrum capricornutum (green algae)): 2.8 mg/l : 72 h desmus capricornutum (fresh water algae)): 1 : 72 h s latipes (Orange-red killifish)): 1.24 mg/l
Ecotoxicity Ingredients: Ethanolamine: Toxicity to fish Toxicity to daphnia and oth aquatic invertebrates Toxicity to algae Toxicity to fish (Chronic	 : LC50 (Cyprinu Exposure time er : EC50 (Daphni Exposure time : ErC50 (Selena Exposure time NOEC (Scene mg/l Exposure time : NOEC (Oryzia Exposure time 	: 96 h a magna (Water flea)): 65 mg/l : 48 h astrum capricornutum (green algae)): 2.8 mg/l : 72 h desmus capricornutum (fresh water algae)): 1 : 72 h : 72 h s latipes (Orange-red killifish)): 1.24 mg/l : 41 d ia magna (Water flea)): 0.85 mg/l
Ecotoxicity Ingredients: Ethanolamine: Toxicity to fish Toxicity to daphnia and oth aquatic invertebrates Toxicity to algae Toxicity to fish (Chronic toxicity) Toxicity to daphnia and oth aquatic invertebrates	 LC50 (Cyprinu Exposure time EC50 (Daphni Exposure time ErC50 (Selena Exposure time NOEC (Scene mg/l Exposure time NOEC (Oryzia Exposure time NOEC (Oryzia Exposure time 	: 96 h a magna (Water flea)): 65 mg/l : 48 h astrum capricornutum (green algae)): 2.8 mg/l : 72 h desmus capricornutum (fresh water algae)): 1 : 72 h : 72 h s latipes (Orange-red killifish)): 1.24 mg/l : 41 d ia magna (Water flea)): 0.85 mg/l : 21 d

Versi 1.1	ion	Revision Date: 02/10/2015		SDS Number: 592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
	Toxicity	r to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.76 mg/l S h
	Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 7.7 mg/l 3 h
	M-Facto icity)	or (Acute aquatic tox-	:	1	
	Persist	ence and degradabil	ity		
		i <mark>ents:</mark> Ilamine: radability	:	Result: Readily bi Biodegradation: s Exposure time: 2	> 90 %
	Bioacc	umulative potential			
		lamine: n coefficient: n-	:	log Pow: -1.91	
		r o-3,5-dimethylpheno n coefficient: n- /water		log Pow: 3.27	
		y in soil a available			
		adverse effects a available			
SEC	TION 1	3. DISPOSAL CONSI	DER	ATIONS	
	•	al methods			
	Waste	from residues	:	Dispose of in acc	ordance with local regulations.
	O	in stad a sales sin a	-	Dianaga of an uni	

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation


UNRTDG Not regulated as a dangerous good IATA-DGR

Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2 Date of first issue: 01/12/2	
Not r	egulated as a dangero	us good		
IMDO	G-Code egulated as a dangero	-		
	sport in bulk accordin applicable for product a	-	RPOL 73/78 and the IBC Coc	le
Dom	estic regulation			
49 C I Not re	FR egulated as a dangero	us good		
SECTION	15. REGULATORY IN	NFORMATION		
EPCI	RA - Emergency Plan	ning and Community	/ Right-to-Know	
	CLA Reportable Quar material does not conta	•	ith a CERCLA RQ.	
	A 304 Extremely Haza material does not conta		Reportable Quantity ith a section 304 EHS RQ.	
SAR	A 311/312 Hazards	: Acute Health H	lazard	
SAR	A 302		n this material are subject to th f SARA Title III, Section 302.	ne reporting
SAR	A 313	known CAS nu	oes not contain any chemical mbers that exceed the thresho s established by SARA Title III	old (De Minimis)
US S	tate Regulations			
Penn	isylvania Right To Kr	low		
	Water		7732-18-5	70 - 90 %
	Fatty acids	, COCO	61788-47-4	5 - 10 %
	Oleic acid		112-80-1	1 - 5 %
	Sodium su	•	7757-82-6	1 - 5 %
	Ethanolam	ine	141-43-5	1 - 5 %

Ethanolamine	141-43-5	1 - 5 %
New Jersey Right To Know		
Water	7732-18-5	70 - 90 %
Fatty acids, coco	61788-47-4	5 - 10 %
Oleic acid	112-80-1	1 - 5 %
Sodium sulphate	7757-82-6	1 - 5 %
Ethanolamine	141-43-5	1 - 5 %

California Prop 65This product does not contain any chemicals known to the
State of California to cause cancer, birth, or any other
reproductive defects.

The ingredients of this product are reported in the following inventories:




Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL		Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Revision Date	:	02/10/2015
— • • • • • • • • • • • • • • • • • • •	~	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations

Version	Revision Date:	MSDS Number:	Date of last issue: 01/12/2015
1.1	02/10/2015	46592-00002	Date of first issue: 01/12/2015

in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8