Version 1.2	Revision Date: 02/18/2015		SDS Number: 474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015		
SECTION	1. IDENTIFICATION					
Produ	ict name	:	: BOARDWALK® Hand Soap			
Produ	ict code	:	BWK 8500			
	facturer or supplier's bany name of supplier		ails LAGASSE, Inc.			
Address		:	One Parkway North Boulevard Deerfield, Illinois 60015			
Telephone		:	800-989-7487			
Emergency telephone		:	800-989-7487			
Recommended use of the o		cher	nical and restriction	ons on use		
Recommended use		:	Skin-care			
Restrictions on use		:	consumers and o foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet.		

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Eye irritation	: Category 2A
GHS Label element	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	: Prevention:
	1 / 12

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	02/18/2015	51474-00003	Date of first issue: 01/26/2015
		P280 Wear eye <b>Response:</b> P305 + P351 + for several minu to do. Continue	n thoroughly after handling. protection/ face protection. P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/

## Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 1 - < 5
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek med advice.</li> </ul>	ical
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of w for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention.</li> </ul>	ater
If swallowed	<ul> <li>If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.</li> </ul>	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists.	

## SAFETY DATA SHEET

# BOARDWALK® Hand Soap

Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015		
No	tes to physician	: Treat sympton	natically and supportively.		
SECTIC	ON 5. FIRE-FIGHTING ME	ASURES			
Su	itable extinguishing media	Alcohol-resista Dry chemical	Alcohol-resistant foam		
	suitable extinguishing dia	: None known.	: None known.		
	ecific hazards during fire nting	: Exposure to c	: Exposure to combustion products may be a hazard to health.		
Ha uct	zardous combustion prod- s	: Sulfur oxides Carbon oxides Metal oxides Chlorine comp Nitrogen oxide	pounds		
	ecific extinguishing thods	circumstances Use water spr	ning measures that are appropriate to local and the surrounding environment. ay to cool unopened containers. maged containers from fire area if it is safe to do		
	ecial protective equipment fire-fighters		fire, wear self-contained breathing apparatus. protective equipment.		
SECTIO	ON 6. ACCIDENTAL RELE	ASE MEASURES			
Po	reanal precautions	· Lleo poreonal	protective equipment		

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and

Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015		
		employed in the or determine which Sections 13 and	naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.		
SECTION	7. HANDLING AND ST	ORAGE			
Technical measures		: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.			
Local/Total ventilation		: Use only with add	Use only with adequate ventilation.		
Advice on safe handling		Handle in accord practice.			
Cond	itions for safe storage	: Keep in properly Store in accordar	labeled containers. nce with the particular national regulations.		
		: Do not store with Strong oxidizing	the following product types: agents		

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Hazardous components without workplace control parameters

	-
Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures :	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.
------------------------	---

Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003		Date of last issue: 02/10/2015 Date of first issue: 01/26/2015	
Pers	onal protective equip	nent			
Resp	Respiratory protection		: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.		
	l protection aterial	: Imp	ervious glove	5	
Re	emarks	on ti time For resis glov	ne concentrat is not determ special applic stance to cher es with the gl	protect hands against chemicals depending ion specific to place of work. Breakthrough nined for the product. Change gloves often! ations, we recommend clarifying the micals of the aforementioned protective ove manufacturer. Wash hands before end of workday.	
Еуе р	protection		ar the followin ety goggles	g personal protective equipment:	
Skin	and body protection	resis pote Skir	stance data a ntial. contact mus	e protective clothing based on chemical nd an assessment of the local exposure t be avoided by using impervious protective aprons, boots, etc).	
Hygie	ene measures	loca Whe	ted close to the to the total termination of the termination of termi	lushing systems and safety showers are ne working place. ot eat, drink or smoke. ed clothing before re-use.	

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: white, off-white
Odor	: soapy
Odor Threshold	: No data available
рН	: 4.8 - 6.2
Melting point/freezing point	: No data available

Ver 1.2	sion	Revision Date: 02/18/2015		DS Number: 74-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015
	Solidifie	cation / Setting point		2.90 °C	
	Initial b range	oiling point and boiling	:	98.00 °C	
	Flash p	point	:	> 100 °C	
	Evapor	ation rate	:	No data available	)
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper	explosion limit	:	No data available	
	Lower	explosion limit	:	No data available	)
	Vapor p	oressure	:	No data available	
	Relativ	e vapor density	:	No data available	
	Density	/	:	1.0000 g/cm3	
	Solubili Wate	ity(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	)
	Decom	position temperature	:	The substance of	r mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	3,000 - 18,000 m	m2/s (20.00 °C)
	Explosi	ve properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015
SECTION	I 11. TOXICOLOGICA	L INFORMATION	
Inhal Skin Inges	contact	es of exposure	
Acut	e toxicity		
Not classified based on available information.			
Product:			
Acute	e oral toxicity	: Acute toxicity es Method: Calcula	stimate: > 5,000 mg/kg ation method
	edients:		
	hols, C10-16, ethoxyl e oral toxicity	ated, sulfates, sodiun : LD50 (Rat): > 2 Assessment: Th toxicity	
Coco	pamidopropyl betaine	):	
	e oral toxicity	: LD50: > 5,000 r Method: OECD	ng/kg Test Guideline 401 d on data from similar materials
Acute	e dermal toxicity	Assessment: Th toxicity	,000 mg/kg Test Guideline 402 ne substance or mixture has no acute dermal d on data from similar materials
Ola <sup>t</sup> ra	oorrooion/irritation		

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result: No skin irritation

## Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Product:

Result: Irritation to eyes, reversing within 21 days

#### Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Version	Revision Date:	MSDS Number:
1.2	02/18/2015	51474-00003

Date of last issue: 02/10/2015 Date of first issue: 01/26/2015

#### Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

### Product:

Assessment: Does not cause skin sensitization.

#### Ingredients:

**Cocoamidopropyl betaine:** Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

Ingredients:	
Cocoamidopropyl betaine:	
Genotoxicity in vitro	<ul> <li>Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials</li> </ul>
Genotoxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)</li> <li>Species: Mouse</li> <li>Application Route: Ingestion</li> <li>Result: negative</li> <li>Remarks: Based on data from similar materials</li> </ul>
Carcinogenicity	
Not classified based on availab	ble information.
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	02/18/2015	51474-00003	Date of first issue: 01/26/2015

#### **Reproductive toxicity**

Not classified based on available information.

### Ingredients:

**Cocoamidopropyl betaine:** Effects on fetal development : Test Type: Embryo-fetal development Species: Rat **Application Route: Ingestion** 

Method: OECD Test Guideline 414 **Result:** negative Remarks: Based on data from similar materials

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

#### **Ingredients:**

**Cocoamidopropyl betaine:** Species: Rat NOAEL: 250 mg/kg **Application Route: Ingestion** Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

#### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### Ingredients:

Cocoamidopropyl betaine:			
Toxicity to fish :	LC50: > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2		
	Remarks: Based on data from similar materials		
Toxicity to bacteria :	EC50: > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials		
Persistence and degradability			

#### Product:

Biodegradability : Result: Biodegradable

Versi 1.2	on	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015
/			<b>ed, sulfates, sodium</b> : Result: Readily bi	
		<b>midopropyl betaine:</b> radability		> 60 %
		<b>umulative potential</b> a available		
		<b>y in soil</b> a available		
	• • • • •	adverse effects a available		

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

**UNRTDG** Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code** Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

	VersionRevision Date:MSDS Number:Date of last issue: 02/10/20151.202/18/201551474-00003Date of first issue: 01/26/2015	Revision Date: MSDS Number: Date of last issue: 02/10/2015
--	--	--

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know


	Water Alcohols, C10-16, ethoxylated, sulfates, sodium salts	7732-18-5 68585-34-2	70 - 90 % 1 - 5 %
	Sodium chloride	7647-14-5	1 - 5 %
New Jersey Rig	Jht To Know		
	Water	7732-18-5	70 - 90 %
	Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	1 - 5 %
	Sodium chloride	7647-14-5	1 - 5 %
	Cocoamidopropyl betaine	61789-40-0	1 - 5 %

California Prop 65	This product does not contain any chemicals known to the
	State of California to cause cancer, birth, or any other
	reproductive defects.

The ingredients of this product are reported in the following inventories:		
AICS	: All ingredients listed or exempt.	

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)



Special hazard.

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Sources of key data used to compile the Material Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 02/18/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8