

Version 1.0	Revision Date: 03/18/2015		SDS Number: 195-00001	Date of last issue: - Date of first issue: 03/18/2015	
SECTION	1. IDENTIFICATION				
Produ	ct name	:	GOJO® FAST To	owels	
Manu	facturer or supplier's	deta	ails		
	any name of supplier	:			
Addre	SS	:	One GOJO Plaza, Suite 500 Akron OH 44311		
Telep	hone	:	1 (330) 255-6000		
Emerg	gency telephone	:	1-800-424-9300	CHEMTREC	
Recommended use of the o		chen	nical and restriction	ons on use	
Recor	mmended use	:	Skin-care		
Restri	ctions on use	:	consumers and o foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet.	

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H226 Flammable liquid and vapor. H318 Causes serious eye damage.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/18/2015	77195-00001	Date of first issue: 03/18/2015
Preca	autionary Statements	No smoking. P233 Keep conf P241 Use explo equipment. P242 Use only r P243 Take prec P280 Wear prot <b>Response:</b> P303 + P361 + all contaminated P305 + P351 + water for severa and easy to do. CENTER or doo <b>Storage:</b> P403 + P235 St <b>Disposal:</b>	y from heat/sparks/open flames/hot surfaces. ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ hon-sparking tools. autionary measures against static discharge. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON ctor/ physician. ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste

## Other hazards

Vapors may form explosive mixture with air.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Polyethylene glycol	25322-68-3	>= 5 - < 10
Ethanol	64-17-5	>= 1 - < 5
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	>= 1 - < 5
Polyoxyethylene tridecyl ether	24938-91-8	>= 1 - < 5
1-Methyl 4-(1-Methylethenyl) Cyclohexene	5989-27-5	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek med advice.	ical
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	In case of contact, immediately flush eyes with plenty of w for at least 15 minutes.	ater



Version 1.0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015		
16	- Use of the second s	Get medical at	emove contact lens, if worn. tention immediately.		
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.			
Most important symptoms and effects, both acute and delayed		: Causes seriou	: Causes serious eye damage.		
Prote	ection of first-aiders	and use the re	nders should pay attention to self-protection, commended personal protective equipment ntial for exposure exists.		
Note	s to physician	: Treat symptom	atically and supportively.		

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides None known.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Remove all sources of ignition.
protective equipment and	Use personal protective equipment.
emergency procedures	Follow safe handling advice and personal protective equipment recommendations.

# SAFETY DATA SHEET



# **GOJO® FAST Towels**

Version 1.0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015	
Environmental precautions		<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>		
	ods and materials for inment and cleaning up	Suppress (knock jet. For large spills, p containment to k can be pumped, container. Clean up remain absorbent. Local or national disposal of this n employed in the determine which Sections 13 and	ols should be used. rt absorbent material. a down) gases/vapors/mists with a water spray provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.	

## SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	<ul> <li>Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Conditions for safe storage	<ul> <li>Keep in properly labeled containers.</li> <li>Keep tightly closed.</li> <li>Keep in a cool, well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> <li>Keep away from heat and sources of ignition.</li> </ul>
Materials to avoid	: Do not store with the following product types:



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/18/2015	77195-00001	Date of first issue: 03/18/2015
		5	es s s stances and mixtures mixtures which in contact with water emit

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyethylene glycol	25322-68-3	TWA (aero- sol)	10 mg/m3	US WEEL
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH

#### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Ethoxylated branched C11-14,	78330-21-9
C13-rich alcohols	
Polyoxyethylene tridecyl ether	24938-91-8
1-Methyl 4-(1-Methylethenyl)	5989-27-5
Cyclohexene	

Engineering measures : Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.

### Personal protective equipment

Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other
		circumstance where air purifying respirators may not provide adequate protection.

# SAFETY DATA SHEET

# **GOJO® FAST Towels**



Version 1.0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015
	d protection aterial	: Impervious gl	oves
Ma	aterial	: Flame retarda	ant gloves
Re	emarks	on the concer time is not de For special ap resistance to gloves with th	es to protect hands against chemicals depending htration specific to place of work. Breakthrough termined for the product. Change gloves often! oplications, we recommend clarifying the chemicals of the aforementioned protective the glove manufacturer. Wash hands before t the end of workday.
Eye j	protection	Chemical res	owing personal protective equipment: istant goggles must be worn. e likely to occur, wear:
Skin	and body protection	resistance da potential. Wear the follo Flame retarda Skin contact i	priate protective clothing based on chemical ta and an assessment of the local exposure owing personal protective equipment: ant antistatic protective clothing. must be avoided by using impervious protective es, aprons, boots, etc).
Hygie	ene measures	located close When using c	ye flushing systems and safety showers are to the working place. lo not eat, drink or smoke. iinated clothing before re-use.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: impregnated cloth
Color	: clear, yellow
Odor	: citrus
Odor Threshold	: No data available
рН	: 4.5 - 8.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 77 °C
Flash point	: 53 °C
Evaporation rate	: No data available



Versio 1.0	n	Revision Date: 03/18/2015		DS Number: 95-00001	Date of last issue: - Date of first issue: 03/18/2015
F	lamma	ability (solid, gas)	:	Not applicable	
U	lpper e	explosion limit	:	No data available	)
Lo	ower e	explosion limit	:	No data available	)
V	′apor p	oressure	:	No data available	)
R	elative	e vapor density	:	No data available	
D	ensity		:	1 g/cm3	
		y(ies) r solubility n coefficient: n-	-	soluble Not applicable	
	ctanol/		•		
A	utoign	ition temperature	:	No data available	9
D	ecom	position temperature	:	The substance or	mixture is not classified self-reactive.
V	'iscosit Visco	y sity, dynamic	:	No data available	
E	xplosiv	ve properties	:	Not explosive	
0	Dxidizin	ig properties	:	The substance or	r mixture is not classified as oxidizing.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	<ul> <li>Flammable liquid and vapor.</li> <li>Vapors may form explosive mixture with air.</li> <li>Can react with strong oxidizing agents.</li> </ul>
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact



ersion )	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015
Acute	etoxicity		
Not cl	assified based on ava	ailable information.	
<u>Produ</u>	<u>ict:</u>		
Acute	oral toxicity		estimate: > 5,000 mg/kg ulation method
Ingree	dients:		
	thylene glycol: oral toxicity	: LD50 (Rat): >	5,000 mg/kg
Acute	dermal toxicity	: LD50 (Rabbit)	: > 5,000 mg/kg
Ethan	ol:		
Acute	oral toxicity	: LD50 (Rat): >	5,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 1 Exposure time Test atmosph	e: 4 h
Acute	oral toxicity	Method: Expe	estimate: 500 mg/kg
	oral toxicity		500 - < 2,000 mg/kg
	hyl 4-(1-Methylether oral toxicity	: LD50 (Rat): > Assessment: toxicity	2,000 mg/kg The substance or mixture has no acute oral sed on data from similar materials
•	corrosion/irritation		
Not cl	assified based on ava	ailable information.	
<u>Produ</u> Resul	<b><u>uct:</u></b> t: No skin irritation		
Ingree	dients:		
Speci	<b>thylene glycol:</b> es: Rabbit t: No skin irritation		
Ethan			

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

## Ethoxylated branched C11-14, C13-rich alcohols:

Species: Rabbit Result: No skin irritation Remarks: Based on data from similar materials



Version	Revision Date:	MSDS Number:
1.0	03/18/2015	77195-00001

Date of last issue: -Date of first issue: 03/18/2015

**Polyoxyethylene tridecyl ether:** Species: Rabbit Result: No skin irritation

**1-Methyl 4-(1-Methylethenyl) Cyclohexene:** Species: Rabbit Result: Skin irritation

## Serious eye damage/eye irritation

Causes serious eye damage.

#### Ingredients:

Polyethylene glycol:

Species: Rabbit Result: No eye irritation

#### Ethanol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

#### Ethoxylated branched C11-14, C13-rich alcohols:

Result: Irreversible effects on the eye Remarks: Based on data from similar materials

#### Polyoxyethylene tridecyl ether:

Species: Rabbit Result: Irreversible effects on the eye

#### 1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Species: Rabbit Result: No eye irritation

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Product:

Assessment: Does not cause skin sensitization.

#### Ingredients:

Ethanol:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

### Ethoxylated branched C11-14, C13-rich alcohols:

Test Type: Human repeat insult patch test (HRIPT) Routes of exposure: Skin contact Result: negative Remarks: Based on data from similar materials



ersion 0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015
Test T Route Speci	t <b>hyl 4-(1-Methylethenyl</b> Type: Local lymph node s of exposure: Skin con es: Mouse t: positive	assay (LLNA)	
Asses	ssment: Probability or ev	idence of skin sensitiz	ation in humans
	cell mutagenicity assified based on availa	ble information.	
Polye	dients: hthylene glycol: toxicity in vitro	: Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
<b>Ethar</b> Genot	<b>tol:</b> toxicity in vitro	: Test Type: In vitr Result: negative	o mammalian cell gene mutation test
Genot	toxicity in vivo	: Test Type: Roder Species: Mouse Application Route Result: negative	nt dominant lethal test (germ cell) (in vivo) e: Ingestion
	t <b>hyl 4-(1-Methylethenyl</b> toxicity in vitro		o mammalian cell gene mutation test
Genot	toxicity in vivo	: Test Type: Trans say Species: Rat Application Route Result: negative	genic rodent somatic cell gene mutation as- e: Ingestion
	<b>nogenicity</b> assified based on availa	ble information.	
<b>1-Met</b> Speci Applic Expos	dients: thyl 4-(1-Methylethenyl es: Mouse cation Route: Ingestion sure time: 103 weeks t: negative	) Cyclohexene:	
IARC	:		product present at levels greater than or ntified as probable, possible or confirmed by IARC.
OSH	A		product present at levels greater than or ntified as a carcinogen or potential carcino-



ersion 0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015
NTP			his product present at levels greater than or lentified as a known or anticipated carcinogen
-	oductive toxicity lassified based on ava	ailable information.	
Ingre	dients:		
Ethai			
Effec	ts on fertility	Species: Mouse Application Rou	ute: Ingestion Test Guideline 416
	<b>F-single exposure</b> lassified based on ava	ailable information.	
	Γ-repeated exposure		
	lassified based on ava		
Repe	ated dose toxicity		
NOAI Applie	ies: Rat EL: 2,400 mg/kg cation Route: Ingestio sure time: 2 y	n	
Speci NOAI Applie	<b>thyl 4-(1-Methylethe</b> ies: Rat EL: 600 mg/kg cation Route: Ingestio sure time: 13 w		
Aspir	ration toxicity		
•	lassified based on ava	ailable information.	
Ingre	dients:		
The s			an aspiration toxicity hazards or has to be y hazard.
ECTION	12. ECOLOGICAL IN	IFORMATION	
Ecoto	oxicity		
Ingre	dients:		
	ethylene glycol: ity to fish	: LC50 (Poecilia Exposure time:	reticulata (guppy)): > 100 mg/l 96 h



Version 1.0	Revision Date: 03/18/2015		SDS Number: 195-00001	Date of last issue: - Date of first issue: 03/18/2015
<b>Ethan</b> Toxicit	<b>ol:</b> ty to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): > 1,000 mg/l 6 h
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia n Exposure time: 4	nagna (Water flea)): > 1,000 mg/l 8 h
Toxicit	ty to algae	:	Exposure time: 7	/ulgaris (Fresh water algae)): 275 mg/l 2 h 'est Guideline 201
aquati	ty to daphnia and other c invertebrates nic toxicity)	:	NOEC (Daphnia Exposure time: 9	magna (Water flea)): 9.6 mg/l d
Toxicit	ty to bacteria	:	EC50 (Photobact Exposure time: 0	erium phosphoreum): 32.1 mg/l .25 h
	<b>ylated branched C11-1</b> ty to fish		LC50 (Oncorhynd Exposure time: 9	chus mykiss (rainbow trout)): 5.6 mg/l
	ty to daphnia and other c invertebrates	:	Exposure time: 4	nagna (Water flea)): > 1 - 10 mg/l 8 h on data from similar materials
Toxicit	ty to algae	:	EC50: > 1 - 10 m Exposure time: 9 Remarks: Based	
Toxicit toxicity	ty to fish (Chronic y)	:	Exposure time: 3	macrochirus (Bluegill sunfish)): > 0.33 mg/l 0 d on data from similar materials
aquati	ty to daphnia and other c invertebrates nic toxicity)	:	Exposure time: 2	magna (Water flea)): 0.77 mg/l 1 d on data from similar materials
	<b>xyethylene tridecyl eth</b> ty to fish			idus (Golden orfe)): > 1 - 10 mg/l 6 h
	ty to daphnia and other c invertebrates	:	EC50: > 1 - 10 m Exposure time: 4	
Toxicit	ty to algae	:	EC50: > 1 - 10 m Exposure time: 7	
	<b>hyl 4-(1-Methylethenyl</b> ) ty to fish			es promelas (fathead minnow)): 0.72 mg/l 6 h
Toxicit	ty to daphnia and other	:	EC50 (Daphnia n	nagna (Water flea)): 0.36 mg/l



ersion 0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015
aquati	c invertebrates	Exposure time	2: 48 h
Toxicit	y to algae	Exposure time Test substanc	odesmus subspicatus (green algae)): 150 mg/l e: 72 h e: Water Accommodated Fraction ed on data from similar materials
M-Fac icity)	tor (Acute aquatic to:	K- : 1	
Persis	stence and degrada	bility	
Ingred	lients:		
	t <b>hylene glycol:</b> gradability	: Result: Readil Biodegradatio Exposure time	n: 68 %
<b>Ethan</b> Biodeo	<b>ol:</b> gradability	: Result: Readil Biodegradatio Exposure time	n: 84 %
	<b>ylated branched C1</b> gradability	Biodegradation Exposure time Method: OECI	y biodegradable. n: 95 %
	<b>xyethylene tridecyl</b> gradability		
	n <b>yl 4-(1-Methylether</b> gradability	: Result: Readil Biodegradation Exposure time	n: 80 %
Bioac	cumulative potentia	I	
Ingred	lients:		
-	thylene glycol: cumulation	: Species: Fish Bioconcentrati	on factor (BCF): 3.2
	<b>ol:</b> on coefficient: n- l/water	: log Pow: -0.35	i la
1-Metl	nyl 4-(1-Methylether	nyl) Cyclohexene: : log Pow: 4.38	



Version 1.0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015			
octan	ol/water					
	Mobility in soil No data available					
Other	Other adverse effects					
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS					
Dispo	osal methods					

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## **SECTION 14. TRANSPORT INFORMATION**

<b>UNRTDG</b> UN number	: UN 3175
Proper shipping name	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol, 1-Methyl 4-(1-Methylethenyl) Cyclohexene)
Class	: 4.1
Packing group	: 11
Labels	: 4.1
IATA-DGR	
UN/ID No.	: UN 3175
Proper shipping name	: Solids containing flammable liquid, n.o.s. (Ethanol, 1-Methyl 4-(1-Methylethenyl) Cyclohexene)
Class	: 4.1
Packing group	: 11
Labels	: Flammable Solid
Packing instruction (cargo aircraft)	: 448
Packing instruction (passenger aircraft)	: 445
IMDG-Code	
UN number	: UN 3175
Proper shipping name	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol, 1-Methyl 4-(1-Methylethenyl) Cyclohexene)
Class	: 4.1
Packing group	:
Labels	
EmS Code Marine pollutant	: F-A, S-I : no
Marine politikarit	. 110



Version 1.0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/2015	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.				
Dome	estic regulation			
49 CF	-R			
UN/IE	D/NA number	: UN 3175		
Prope	er shipping name		TAINING FLAMMABLE LIQUID, N.O.S. ethyl 4-(1-Methylethenyl) Cyclohexene)	
Class	;	: 4.1		
Packi	ng group	: 11		
Label	S	: FLAMMABLE	SOLID	
ERG	Code	: 133		
Marin	e pollutant	: no		

## **SECTION 15. REGULATORY INFORMATION**

## EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

	Water	7732-18-5	70 - 90 %
	Polyethylene glycol	25322-68-3	5 - 10 %
	Ethanol	64-17-5	1 - 5 %
	Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	1 - 5 %
	Propan-2-ol	67-63-0	0.1 - 1 %
New Jersey Rig	ght To Know		
	Water	7732-18-5	70 - 90 %
	Polyethylene glycol	25322-68-3	5 - 10 %
	Ethanol	64-17-5	1 - 5 %
	Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	1 - 5 %
	Polyethylene glycol sorbitan monolaurate	9005-64-5	1 - 5 %



3

2

0

# **GOJO® FAST Towels**


Version 1.0	Revision Date: 03/18/2015	MSDS Number: 77195-00001	Date of last issue: - Date of first issue: 03/18/20	)15	
	Polyoxyethylene		24938-91-8	1 - 5 %	
California Prop 65		State of Califo	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.		
The ingredients of this product REACH :		-	n the following inventories: (pre-)registered or exempt.		
TSCA	TSCA :		All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
DSL	DSL :		All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).		
AICS		: All ingredients	listed or exempt.		
Inver	ntories				

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**





#### Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	<ul> <li>: USA. ACGIH Threshold Limit Values (TLV)</li> <li>: USA. NIOSH Recommended Exposure Limits</li> <li>: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lirits for Air Contaminants</li> </ul>	n-
US WEEL ACGIH / STEL NIOSH REL / TWA	<ul> <li>USA. Workplace Environmental Exposure Levels (WEEL)</li> <li>Short-term exposure limit</li> <li>Time-weighted average concentration for up to a 10-hour</li> </ul>	



Version 1.0	Revision Date: 03/18/2015		SDS Number: 195-00001	Date of last issue: - Date of first issue: 03/18/2015
	A Z-1 / TWA VEEL / TWA		workday during a 8-hour time weigh 8-hr TWA	40-hour workweek nted average
Sources of key data used to compile the Material Safety Data Sheet		: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/		
Revis	sion Date	:	03/18/2015	
The information provided in this Safety Data Sheet is correct to the best of our knowledge, in-				

formation and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8