# SAFETY DATA SHEET

### 1. Identification

**Product identifier** C6602A Other means of identification Not available. Recommended use Inkjet printing **Recommended restrictions** None known.

Company identification **Hewlett-Packard Company** 3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

## 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Sensitization, skin

Specific target organ toxicity, repeated

exposure

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 





Signal word

**Hazard statement** May cause an allergic skin reaction. May cause damage to organs (Kidney) through prolonged or

repeated exposure.

**Precautionary statement** 

**Prevention** P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. Response

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P314 - Get medical attention/advice if you feel unwell. P363 - Wash contaminated clothing before reuse.

Storage Not available.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations. Potential routes of overexposure to this product are skin and eye contact

Hazard(s) not otherwise

classified (HNOC)

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

Category 1

Category 2 (kidney)

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Contains Food Black 2 acid salt.

Supplemental information None.

Material name: C6602A 1/7 9429 Version #: 01 Issue date: 16-Apr-2015

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	<b>CAS</b> number	%
Water		7732-18-5	30-40
2-pyrrolidone		616-45-5	<30
Ethylene glycol		107-21-1	<25
Alkyldiol		Proprietary	<7.5
Food Black 2 Acid Salt # 3		Proprietary	<5

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First-aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

5. Fire-fighting measures

**Suitable extinguishing media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Not available.

Specific hazards arising from

the chemical

Not applicable.

**Special protective equipment** 

and precautions for

firefighters

Not available.

**Specific methods** None established.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

### 7. Handling and storage

**Precautions for safe handling** 

Avoid contact with skin, eyes and clothing.

Conditions for safe storage,

Keep out of the reach of children. Keep away from excessive heat or cold.

including any incompatibilities

## 8. Exposure controls/personal protection

## **Occupational exposure limits**

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Material name: C6602A sps us

**Exposure guidelines** Exposure limits have not been established for this product.

**Appropriate engineering** 

controls

Use in a well ventilated area.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Not available.

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Color Black.

Odor Not available.
Odor threshold Not available.
pH 7 - 7.4

Melting point/freezing point Initial boiling point and

boiling range

Not available. Not determined

Flash point > 200.0 °F (> 93.3 °C) Closed Cup

Evaporation rate Not determined
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Flammability limit - lower Not determined

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available.

Solubility(ies)

Solubility (water)Soluble in waterPartition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

**Other information** For other VOC regulatory data/information see Section 15.

**VOC (Weight %)** < 578 g/l

## 10. Stability and reactivity

**Reactivity** Not available.

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous** 

reactions

Will not occur.

**Conditions to avoid** Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

Material name: C6602A SDS US

9429 Version #: 01 Issue date: 16-Apr-2015

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

#### Information on toxicological effects

Acute toxicityBased on available data, the classification criteria are not met.Skin corrosion/irritationBased on available data, the classification criteria are not met.Serious eye damage/eyeBased on available data, the classification criteria are not met.

irritation

#### Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.Specific target organ toxicityBased on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Specific target organ toxicity

- repeated exposure

Components

May cause damage to organs (Kidney) through prolonged or repeated exposure.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Species** 

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**Test Results** 

Components	Species	i est i tesures
2-pyrrolidone (CAS 616-45-	-5)	
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Ethylene glycol (CAS 107-2	21-1)	
Acute		
Dermal		
LD50	Rabbit	9530 mg/kg
Oral		
LD50	Cat	1650 mg/kg
	Dog	5500 mg/kg
	Guinea pig	8.2 g/kg
	Mouse	14.6 g/kg
	Rat	5.89 g/kg
Other		
LD50	Mouse	5.8 g/kg
	Rat	2800 mg/kg

Material name: C6602A SDS US

9429 Version #: 01 Issue date: 16-Apr-2015

## 12. Ecological information

**Ecotoxicity** 

**Product Species Test Results** 

C6602A (CAS Mixture)

**Aquatic** 

Acute

LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours Fish

**Test Results** Components **Species** 

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ethylene glycol (CAS 107-21-1)

**Aquatic** 

LC50 Fish Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Persistence and degradability Not available. **Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85Ethylene glycol -1.36

Mobility in soil Not available. Other adverse effects Not available.

## 13. Disposal considerations

**Disposal instructions** Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory information

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Ethylene glycol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Material name: C6602A SDS US 5/7

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** No

Hazardous chemical

Other federal regulations

**Safe Drinking Water Act** Not regulated.

(SDWA)

**US state regulations** 

#### **US. Massachusetts RTK - Substance List**

2-pyrrolidone (CAS 616-45-5) Ethylene glycol (CAS 107-21-1)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Ethylene glycol (CAS 107-21-1)

#### **US. Pennsylvania Worker and Community Right-to-Know Law**

2-pyrrolidone (CAS 616-45-5) Ethylene glycol (CAS 107-21-1)

**US. Rhode Island RTK** 

Ethylene glycol (CAS 107-21-1)

## **US. California Proposition 65**

Not Listed.

**Other information** VOC content (less water, less exempt compounds) = < 982 g/L (U.S. requirement, not for

emissions) VOC data based on formulation (Organic compounds minus solids)

**Regulatory information**All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

#### 16. Other information, including date of preparation or last revision

**Issue date** 16-Apr-2015

Version # 01

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Revision Information** Product and Company Identification: Synonyms

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

Ecological Information: Ecotoxicity

14. Transport Information: Material Transportation Information

Regulatory Information: United States

HazReg Data: Pacific Rim

GHS: Qualifiers

**Manufacturer information** Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

Direct 1-650-857-5020

Material name: C6602A SDS US

## **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

REC Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C6602A SDS US

9429 Version #: 01 Issue date: 16-Apr-2015