Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements. IDENTITY (As used on Label and list) - Gold Marker Medium Ink (SCG)			U.S. Departmen Labor Occupational Safety Health Administration(Non Mandatory Form) Form Approved OMB No. 1218-007 Note: Blank spaces are no applicable, or no informat must be marked to indicat	y and n- 72 t permitted ion is avail	
Gold					
Section 1					
Manufacturer's Name PILOT CORPORATION			Emergency Telephone Number 03-3538-3700		
Address(Number, Street, City State & Zip)			Telephone Number	for Info	rmation
6-21, Kyobashi 2-Chome, Chuo-ku			03-3538-3909		
			Date Prepared		
Tokyo 104-8304, Japan			September 25, 2007 Signature of Preparer(Optional)		
			Signature of Prepar	er(Optio	nai)
Section II - Hazardou	is Ingredien	ts/Identity	Information		
Hazardous Components(0	•		OSHA PEL	ACGIH Other Limits %(optional) TLV Recommended
NAME	CAS. NO.	TLV(PPM)	WT. (%)	1	COMPONENT
Copper	7440-50-8	<i>N.A.</i>	18.8		Ink
Aluminum	7429-90-5	<i>N.A.</i>			Barrel
Costion III Diana' 1					
Section III - Physical	/Chemical C	haracteris	tics		
Section III - Physical Boiling Point	/Chemical C	haracteris		<i>.</i>	Specific Gravity(H20=1) N.A.
	/Chemical C	haracteris	Ν		Gravity(H20=1)
Boiling Point	/Chemical C	haracteris		И.А. И.А. И.А.	Gravity(H20=1)
Boiling Point Vapor Pressure(mm Hg)		haracteris		/ .A.	Gravity(H20=1) N.A. Melting Point N.A. Evaporation Rate (Butyl Acetate N.A.
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1)		haracteris		/ .A.	Gravity(H20=1) N.A. Melting Point N.A. Evaporation Rate (Butyl Acetate N.A.
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water <i>Trace</i> Appearance and Odor	- (Ink)			/ .A.	Gravity(H20=1) N.A. Melting Point N.A. Evaporation Rate (Butyl Acetate N.A.
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water <i>Trace</i> Appearance and Odor <i>Gold Color Ink</i>	(<i>Ink</i>) Explosion H	lazard Dat		/ .A.	Gravity(H20=1) N.A. Melting Point N.A. Evaporation Rate (Butyl Acetate N.A.
Boiling Point Vapor Pressure(mm Hg) Vapor Density(Air=1) Solubility in Water <i>Trace</i> Appearance and Odor <i>Gold Color Ink</i> Section IV - Fire and	(<i>Ink</i>) Explosion H N.A.	lazard Dat	A	/ .A.	Gravity(H20=1) N.A. Melting Point N.A. Evaporation Rate (Butyl Acetate = 1) N.A.

[
Unusual Fire and Explosion	Hozorda None		
	T Hazards Ivone		
Section V- Reactivity	Data		
Stability	Unstable		Conditions to Avoid
	Stable	X	None
Incompatibility (Materials to Avoid)	None		
Hazardous Decomposition or Byproducts	None		
Hazardous Polymerization	May Occur		Condition to Avoid
	May Not Occur	X	None
Section VI - Health H	azard Data		
Route(s) of Entry:	Inhalation? Yes (Ink)	Skin? Yes (Ink)	Ingestion? Yes (Ink)
Health Hazards(Acute and	Chronic) N.D.		
Carcinogenicity:	NTP? None	IARC Monographs?None	OSHA Regulated? <i>None</i>
Signs and Symptoms of Ex	posure N.D.		
Medical Conditions Generally Aggravated by E			
Generally Aggravated by E			
Emergency and First Aid P	rocedures Inhalation: Rev	nove to fresh air; seek medic	al Ingestion:
		k medical. Skin: Wash off in	
Section VII - Precaut			
Steps to Be Taken in Case		0	
Flush with thinner; Se	oak up with absorben	t materials. (Paper/Clotl	h)
Waste Disposal			
In accordance with na	tional, state and loca	l regulations.	
Precautions to Be Taken in	Handling and Storing		
Avoid high temperatur	r e.		
Other Precautions Avoid i	gnition sources.		
Section VIII - Contro	l Measures		
Respiratory Protection(Spe	cify Type) Not Require	d	

Ventilation	Local Exhaust <i>Not Required</i>	Special Not Required				
	Mechanical(General) Not Required	Other Not Required				
Protective Gloves	Eye Protection					
Not Required	Not Required					
Other Protective Clothing or Equipment						
Not Required						
Work/Hygienic Practices						
Not Required						



RETURN TO DATA SHEET INDEX