

ZepInc

#### Version 1.0

Revision Date 06/03/2015

Print Date 06/05/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07705CG TM MICRO MIST CTRY GRDN 5N2
Material number	:	00000000001042443
Manufacturer or supplier's o	leta	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	: Compliance Services 1-877-428-9937	
For a Medical Emergency	: 877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	: CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	light yellow
Odour	characteristic

## **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	:	Category 1 Liquefied gas Category 2A Category 3 (Central nervous system)
GHS Label element		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	:	<ul><li>Prevention:</li><li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li><li>P211 Do not spray on an open flame or other ignition source.</li><li>P251 Pressurized container: Do not pierce or burn, even after</li></ul>



sion 1.0	Revision Date 06/03/2015	Print Date 06/05/2015
	use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a v P280 Wear eye protection/ face p <b>Response:</b> P304 + P340 + P312 IF INHALE and keep at rest in a position cor POISON CENTER or doctor/ phy P305 + P351 + P338 IF IN EYES for several minutes. Remove cor easy to do. Continue rinsing. P337 + P313 If eye irritation pers attention. <b>Storage:</b> P405 Store locked up. P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 P403 Store in a well-ventilated p <b>Disposal:</b> P501 Dispose of contents/contai regulation.	handling. vell-ventilated area. protection. D: Remove victim to fresh air mfortable for breathing. Call a vsician if you feel unwell. S: Rinse cautiously with water ntact lenses, if present and sists: Get medical advice/ ht. Do not expose to 122 °F. lace.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probability human carcinogen by IARC.	
ACGIH	No component of this product preser equal to 0.1% is identified as a carci carcinogen by ACGIH.	
OSHA	No component of this product presered equal to 0.1% is identified as a carci carcinogen by OSHA.	
NTP	No component of this product presered equal to 0.1% is identified as a know	nt at levels greater than or

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 30 - < 50
2-(2-ethoxyethoxy)ethanol	111-90-0	>= 20 - < 30
propane	74-98-6	>= 20 - < 30
Proprietary Fragrance	Not Assigned	>= 5 - < 10

#### SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.

# ZepInc

# A07705CG TM MICRO MIST CTRY GRDN 5N2

Version 1.0	Revision Date 06/03/2015	Print Date 06/05/2015
	Show this safety data sheet to the Do not leave the victim unattended	
If inhaled	: Consult a physician after significar If unconscious place in recovery pa advice.	
In case of skin contact	<ul> <li>If skin irritation persists, call a physical wash off immediately with plenty cominutes.</li> <li>If on clothes, remove clothes.</li> </ul>	
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a s</li> <li>Rinse immediately with plenty of w</li> </ul>	•
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless d physician or poison control center.</li> <li>Take victim immediately to hospita</li> </ul>	an. irected to do so by a

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray jet Dry chemical Carbon dioxide (CO2) Alcohol-resistant foam
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.



Version 1.0	Revision Date 06/03/2015	Print Date 06/05/2015
Environmental precautions	: Prevent product from entering dra Prevent further leakage or spillage If the product contaminates rivers respective authorities.	e if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Sweep up or vacuum up spillage container for disposal.	dust).

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0



Version 1.0 Revision Date 06/03/2015 Print D

Print Date 06/05/2015

2-(2-ethoxyethoxy)ethanol	111-90-0	TWA	25 ppm	US WEEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

## **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

Personal protective equipment			
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstra that exposures are within recommended exposure guidelin		
Hand protection			
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.	d	
Eye protection	Ensure that eyewash stations and safety showers are clos the workstation location. Tightly fitting safety goggles	e to	
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place	ce.	
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: light yellow
Odour	: characteristic
Odour Threshold	: no data available
рН	: no data available
Melting point/freezing point	: no data available



Print Date 06/05/2015

# A07705CG TM MICRO MIST CTRY GRDN 5N2

Version 1.0	Revision Date 06/03/2015
Boiling point	: no data available
Flash point	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 90 hPa
Relative vapour density	: no data available
Density	: no data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	
Viscosity, kinematic	: no data available
Heat of combustion	: 37.30 kJ/g

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

# SECTION 11. TOXICOLOGICAL INFORMATION

Lepinc
--------

Version 1.0

Revision Date 06/03/2015

Print Date 06/05/2015

# Acute toxicity

Components:	
acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	LC50 rat: 50.1 mg/l
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg
	LD50 rabbit: > 7,426 mg/kg
<b>propane:</b> Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

#### Skin corrosion/irritation

#### Product:

Remarks: May cause skin irritation in susceptible persons.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Irritating to eyes.

#### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

## Carcinogenicity

no data available

#### **Reproductive toxicity**

no data available

acetone: 2-(2-ethoxyethoxy)ethanol: propane: Proprietary Fragrance:

STOT - single exposure



Version 1.0

Revision Date 06/03/2015

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

#### Further information

## Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

no data available

#### Persistence and degradability

#### no data available Bioaccumulative potential

#### Product:

Partition coefficient: n- octanol/water <u>Components:</u> 2-(2-ethoxyethoxy)ethanol : Partition coefficient: n-	: Remarks: no data available : Pow: 0.54
octanol/water	. 1000.0.04
Mobility in soil	
no data available	
Other adverse effects	
no data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

Disposal methods



# A07705CG TM MICRO MIST CTRY GRDN 5N2

Version 1.0

Revision Date 06/03/2015

Print Date 06/05/2015

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

#### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard	
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	;




Version 1.0	Revision Date 06/03/2015	Print Date 06/05/2015	
SARA 313	components with known CAS numb	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any c California to cause cancer, birth def reproductive harm.		
The components of t	ventories:		
TSCA	On TSCA Inventory		
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.		
AICS	Not in compliance with the inventory		
NZIoC	Not in compliance with the inventory		
PICCS	Not in compliance with the inventory		
IECSC	Not in compliance with the inventory		

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

## SECTION 16. OTHER INFORMATION



**OSHA GHS Label Information:** 

Hazard pictograms

Hazard statements

Precautionary statements

Signal word



Danger:

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/



Version 1.0	Revision Date 06/03/2015	Print Date 06/05/2015
fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eve protection/ face protection.		

**Response:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. **Storage:** Store locked up. Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F. Store in a well-ventilated place. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	06/03/2015
Print Date:	06/05/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.