

Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07768 TM LEMON LIME 30 DAY 12N6.6
Material number	:	00000000001042798
Manufacturer or supplier's o	leta	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

### **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation Skin sensitisation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 1</li> <li>Category 3 (Central nervous system)</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames



ersion 1.0	Revision Date 05/11/2015	Print Date 06/01/2015	
	<ul> <li>P251 Pressurized container: Do use.</li> <li>P261 Avoid breathing dust/ fume</li> <li>P264 Wash skin thoroughly afte</li> <li>P271 Use only outdoors or in a series of the workplace.</li> <li>P280 Wear eye protection/ face</li> <li>P280 Wear protective gloves.</li> <li>Response:</li> <li>P302 + P352 IF ON SKIN: Wash</li> <li>P304 + P340 + P312 IF INHALE</li> <li>and keep at rest in a position co</li> <li>POISON CENTER or doctor/ ph</li> <li>P305 + P351 + P338 IF IN EYE</li> <li>for several minutes. Remove co</li> <li>easy to do. Continue rinsing.</li> <li>P333 + P313 If skin irritation or radvice/ attention.</li> <li>P363 Wash contaminated clothi</li> <li>Storage:</li> <li>P403 + P233 Store in a well-vertightly closed.</li> <li>P410 + P412 Protect from sunligted temperatures exceeding 50 °C/</li> <li>Disposal:</li> </ul>	<ul> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Pressurized container: Do not pierce or burn, even after use.</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280 Wear eye protection/ face protection.</li> <li>P280 Wear protective gloves.</li> <li><b>Response:</b></li> <li>P302 + P352 IF ON SKIN: Wash with plenty of soap and water.</li> <li>P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P363 Wash contaminated clothing before reuse.</li> <li><b>Storage:</b></li> <li>P403 + P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.</li> </ul>	
Potential Health Effects			
Carcinogenicity:			
IARC	No component of this product prese equal to 0.1% is identified as probal human carcinogen by IARC.		
ACGIH	No component of this product prese equal to 0.1% is identified as a carc carcinogen by ACGIH.		
OSHA	No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.		
NTP	No component of this product prese equal to 0.1% is identified as a know by NTP.		

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015

### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
(R)-p-mentha-1,8-diene	5989-27-5	>= 0.1 - < 1
Hydrocarbons, terpene processing by-products	68956-56-9	>= 0.1 - < 1
coumarin	91-64-5	>= 0.1 - < 1
cinnamaldehyde	104-55-2	>= 0.1 - < 1
(E)-anethole	4180-23-8	>= 0.1 - < 1
citral	5392-40-5	>= 0.1 - < 1
pin-2(3)-ene	80-56-8	>= 0.1 - < 1
(-)-pin-2(10)-ene	18172-67-3	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water for at least 15 minutes.</li> <li>If eye irritation persists, consult a specialist.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>Take victim immediately to hospital.</li> </ul>

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	er



Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
Hazardous combustion products Specific extinguishing methods	<ul> <li>Carbon dioxide (CO2) Carbon monoxide Smoke</li> <li>Use extinguishing measures that a circumstances and the surrounding</li> </ul>	
Further information	: Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fir be disposed of in accordance with For safety reasons in case of fire, separately in closed containments Use a water spray to cool fully close	s. e extinguishing water must local regulations. cans should be stored
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	aratus for firefighting if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.



Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
	Observe label precautions. Keep in a dry, cool and well-ventile Electrical installations / working m the technological safety standards	aterials must comply with
Materials to avoid	: Store and keep away from bases a Do not store near acids.	and alkalies.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

### Components with workplace control parameters

### **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

### Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaus ventilation is provided or exposure assessment demons that exposures are within recommended exposure guide	trates
Hand protection Remarks	: The suitability for a specific workplace should be discuss with the producers of the protective gloves.	sed



Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
Eye protection	: Safety glasses Ensure that eyewash stations and	safety showers are close to
Skin and body protection	<ul><li>the workstation location.</li><li>impervious clothing Choose body protection according</li></ul>	
Hygiene measures	<ul> <li>concentration of the dangerous substance at the work place.</li> <li>When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.</li> </ul>	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: no data available
рН	: no data available
Melting point/freezing point	: not applicable
Boiling point	: not applicable
Flash point	:
	not applicable
Evaporation rate	: no data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Linner evelopien limit	, not oppliaable
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Vapour pressure	: 4,827 hPa
Relative vapour density	: no data available
Density	: 0.7 g/cm3
Solubility(ies)	
Water solubility	: slightly soluble
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	
Viscosity, kinematic	: no data available
Heat of combustion	: 36.53 kJ/g



Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Oxidizing agents Bases
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
acetone:	
Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	Exposure time. 5 fr
	LC50 rat: 50.1 mg/l
	ő
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg
	LD50 rabbit: > 7,426 mg/kg
propane:	· 1 CE0 mayor 1 227 mg/
Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l
	Exposure time: 4 h



Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
	LC50 rat: 1,355 mg/l	
(R)-p-mentha-1,8-diene:		
Acute oral toxicity	: LD50 Oral rat: 4,400 mg/kg	
Acute dermal toxicity	: LD50 Dermal rabbit: > 5,000 mg/kg	
<b>coumarin:</b> Acute oral toxicity	: LD50 Oral rat: 293 mg/kg	
cinnamaldehyde: Acute oral toxicity	: LD50 Oral rat: 2,220 mg/kg	
<b>pin-2(3)-ene:</b> Acute oral toxicity	: LD50 rat: 3,700 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritat	ion	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisati	on	
Product:		
Remarks: Causes sensitisat	tion.	
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
acetone: propane: (R)-p-mentha-1,8-diene: Hydrocarbons, terpene pr coumarin: cinnamaldehyde: (E)-anethole: citral: pin-2(3)-ene: (-)-pin-2(10)-ene:	ocessing by-products:	



Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015

### STOT - single exposure

no data available

### **STOT - repeated exposure**

no data available

### Aspiration toxicity

no data available

### **Further information**

### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

no data available

### Persistence and degradability

#### no data available **Bioaccumulative potential**

### Product:

Product:	
Partition coefficient: n- octanol/water <u>Components:</u> cinnamaldehyde :	: Remarks: no data available
Partition coefficient: n- octanol/water citral :	: Pow: 1.83
Partition coefficient: n- octanol/water pin-2(3)-ene :	: Pow: 2.76
Partition coefficient: n- octanol/water	: log Pow: 4.834
Mobility in soil	
no data available	
Other adverse effects	
no data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.



Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
	Clean Air Act Section 602 (40 C + B).	FR 82, Subpt. A, App.A
Additional ecological information	: An environmental hazard cannot event of unprofessional handling aquatic life with long lasting effe	g or disposal., Harmful to

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with local regulations.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>The product should not be allowed to enter drains, water courses or the soil.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

### **SECTION 15. REGULATORY INFORMATION**

### EPCRA - Emergency Planning and Community Right-to-Know Act

**CERCLA** Reportable Quantity

# SAFETY DATA SHEET



# A07768 TM LEMON LIME 30 DAY 12N6.6

sion 1.0		Revision Date	05/11/2015	Print Date 06/01/20	
Componento			Component D		
Components		CAS-No.	Component R (lbs)	Q Calculated product R (lbs)	
acetone		67-64-1	5000	*	
*: Calculated RQ exc	eeds reasonal	bly attainable u	pper limit.		
SARA 304 Extremel	y Hazardous	Substances R	eportable Quantity	1	
This material does no	ot contain any	components w	ith a section 304 EF	S RQ.	
		Sudden Release of Pressure Hazard Acute Health Hazard Fire Hazard			
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.				
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.				
California Prop 65		This product does not contain any chemicals known to State c California to cause cancer, birth defects, or any other reproductive harm.			
The components of	this product	are reported i	n the following inv	entories:	
TSCA	On TSCA	Inventory			
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.				
AICS	Not in compliance with the inventory				
NZIOC	Not in compliance with the inventory				
PICCS	Not in compliance with the inventory				
IECSC	Not in compliance with the inventory				
Inventory Acronym	and Validity	Area Legend:			
AICS (Australia), DS (Japan), KECI (Korea				Jnion), ENCS (Japan), IS SCA (USA)	

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015





### HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

### **OSHA GHS Label Information:**

Hazard pictograms	
O'ma al ward	
Signal word	: Danger:
Hazard statements	<ul> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	
	<ul> <li>Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/ face protection. Wear protective gloves.</li> <li>Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse.</li> <li>Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

1	Version:	10
	Revision Date:	05/11/2015
	Print Date:	06/01/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

<sup>2 =</sup> Moderate, 3 = High 4 = Extreme, \* = Chronic



Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.