



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

Material safety data sheet

1.PRODUCT AND COMPANY IDENTIFICATION

Product name Correction Tape
United Stationers Product code OFF-82211, OFF-85610 UNV-75602, UNV-75605,
UNV-75606, UNV-75609, UNV-75610, UNV-75611
UNV-75612
Manufacturer PLUS CORPORATION
Address 4-1-28 Toranomom, Minato-ku Tokyo, Japan
Phone +81-(0)3-5860-7030 / Fax +81-(0)3-5425-4680
Contact person Kohei Morita.
Date prepared March 7th 2014

2.INFORMATION ON INGREDIENTS

Hazardous Components	CAS No.	ACGIH TLV	OSHA PEL	EEC	Other Limits	%
Titanium dioxide	13463-67-7	10.0mg/m3	15.0mg/m3	N/A	N/A	28
Magnesite	546-93-0	10.0mg/m3	15.0mg/m3	N/A	N/A	16
Silica SiO ₂	7631-86-9	20.0mppcf		N/A	N/A	2
Predominant Component						
Coloring Material	Not Applicable					
Resin						
Additive						
Polyethleneterephthalate film						
Impurity						
	None					



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

3. HAZARDS IDENTIFICATION

Not Applicable

4. FIRST AID MEASURES

SKIN : Wash away ink on skin.
EYE : Wash with water and consult a doctor promptly.
INHALATION : Not applicable
OTHERS : No data available

5. FIRE FIGHTING MEASURES

Extinguishing Media Water mist, Foam, Dry powder, CO2 gas, others

6. ACCIDENTAL RELEASE MEASURES

If inadvertently released, rewind ribbon.

7. HANDLING AND STORAGE

Should be stored in dark cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

allowable concentration

Titanium dioxide	10.0mg/m3
Magnesite	10.0mg/m3
Silica SiO2	6.0mg/m3



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

Eye Protection	N/A
Hand Protection	N/A
Other Protective Clothing or Equipment	N/A

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical condition	:solid
Color	:white
Odor	:odor-free
Boiling Point	:N/A
Melting Point	:N/A
Flash Point	:>150°C
Ignition Temperature	:N/A
Flammable Limits	:LEL N/A UEL N/A
Vapor Pressure	:N/A
PH value	:N/A
Specific Gravity	:N/A
Solubility in Water	:Negligible

10. STABILITY AND REACTIVITY

Stability	N/A
Condition to Avoid	N/A

11. TOXICOLOGICAL INFORMATION

Ames Test	:Negative
Acute Oral	: LD50 > 2,000mg/Kg(MICE)
Primary Skin Irritation	: Nonirritant
Skin Reaction	: Nonirritant



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

12.ECOLOGICAL INFORMATION

No data available

13.DISPOSAL CONSIDERATIONS

Disposal in accordance with local, state and federal regulations.

14.TRANSPORT INFORMATION

No special

15.REGULATORY INFORMATION

nothing special

16.OTHER INFORMATION

nothing special

Company Name: PLUS CORPORATION

Company Address: 4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, Japan

Authorized Name: Kohei Morita

Authorized Signature:

Title: Deputy General Manager Overseas Sales Division

Date: March 7, 2014